



1/18

FIG. 1A




FIG. 1B






FIG. 1C



2/18

FIG. 1D



3/18

FIG. 1E




FIG. 2A





FIG. 2B



5/18

FIG. 2C






FIG. 2D




6/18

FIG. 2E




7/18

FIG. 3A




8/18

FIG. 3B



9/18

FIG. 3C



10/18

FIG. 4A

400

Configure Server - Web Page Dialog

Configure: Server

Name: 402

Type: 404

Notes: 406

Local Storage 408

Disk	Backup	Size(GB)	Image
0	<input checked="" type="checkbox"/>	8	<input type="text" value="Solaris"/> 410
1	<input checked="" type="checkbox"/>	8	<input type="text" value="None"/>

Add Disk Delete Disk

Server Group 412

Server Count: 418

Name	eth0: IP Address	eth1: IP Address
Server1	Not Assigned	Not Configured

420

OK Cancel Help

<https://openview2.xcftech.com/ccc/protected/all/ConfigNode/html/cfServer.jsp> Internet

11/18

FIG. 4B

422

Configure Firewall - Web Page Dialog

Configure: Firewall

1 to 1 NAT Mapping for the Outside Interface:

Interface	DNS Entry	IP Address
Server1-eth0	Server1-Firewall1	Setup Upon Activation

424

Name Firewall1

Type Cisco PIX 515

Notes

428

424A

424B

434

430

Interface: ☐ Outside ☐ Inside ☐ DMZ

DNS Entry: Firewall1-eth0

IP Address: Not Assigned

Access Service From To

<input type="checkbox"/> Deny	all	<input type="checkbox"/> By Name	Outside	<input type="checkbox"/> By IP & Mask	Inside
<input type="checkbox"/> Allow	custom	<input type="checkbox"/> By Name	IP Address 123.123.123.1	<input type="checkbox"/> By IP & Mask	Server1-eth0
	Protocol 6		Mask 255.255.255.0		
	Port 8080				

435

436

438

439A

439B

440

441

442

444

445

446

448

OK

Cancel

Help

Internet

<https://openview2.xcftech.com/ccc/protected/all/ConfigNode/html/cfFirewall.jsp>

12/18

FIG. 4C

450

Configure Load Balancer - Web Page Dialog

Configure: Load Balancer

Name: Balancer1 452

Type: Standard 454

Policy: Round Robin 456

Virtual IP Not Implemented Yet 457

Port: 80 458

Notes: 460

Load Balancing Group 462

Name	Port Number
<input checked="" type="checkbox"/> Server1-eth0	80 464
<input type="checkbox"/> Balancer2-eth0	466
<input type="checkbox"/> Balancer2-vip0	468 470

OK Cancel Help


https://clarify/cac/drypen/ConfigNode/Html/LoadBala Local Internet

13/18

FIG. 4D

Configure Subnet - Web Page Dialog

Configure: Subnet

 472

Name Subnet2 474

Notes 476

Subnet Properties 478

480 Subnet IP Set upon activation

482 Mask Set upon activation

484 Access to Network Attached Storage ☐ Yes ☒ No

486 N.A.S. IP Set upon activation


OK Cancel Help

<https://clarify/ccc/drypen/ConfigNode/Html/Subnet.h> Local Internet

FIG. 4E

Configure Internet - Web Page Dialog

Configure: Internet

 488

Name Internet1 489

Notes 490

Internet Properties

IP Address Maximum: Up to 256 492

OK Cancel Help

<https://clarify/ccc/drypen/ConfigNode/Html/cfInternet> Local Internet

14/18

FIG. 4F





FIG. 5



15/18

FIG. 6A





FIG. 6B



17/18

FIG. 8A





FIG. 8B



18/18




FIG. 9